ELSEVIER

Neuroscience Letters 295 (2000) 122–123

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 295

Volume 295, nos. 1-2

Guidelines for the submission of manuscripts v

Cellular dopamine is increased following exposure to a factor derived from immortalized striatal neurons in humans
A. Heller, A. Freeney, S. Hessefort, M. Villereal, L. Won (USA) 1

A novel means of Y cell identification in the developing lateral geniculate nucleus of the cat
W. Breckinridge Carden, W. Guido, J. Ziburkus, A. Datskovskaia, D.W. Godwin, M.E. Bickford (USA) 5

Regional and age-related expression of gelatinases in the brains of young and old rats after treatment with kainic acid
J.W. Zhang, S. Deb, P.E. Gottschall (USA) 9

Selective deficits of vibrotactile sensitivity in dyslexic readers
C.J. Stoodley, J.B. Talcott, E.L. Carter, C. Witton, J.F. Stein (UK) 13

In vivo regulation of precursor cells in the subventricular zone of adult rat brain by thyroid hormone and retinoids
L. Giardino, C. Bettelli, L. Calzà (Italy) 17

d-Morphine, but not *l*-morphine, has low micromolar affinity for the non-competitive *N*-methyl-D-aspartate site in rat forebrain
Possible clinical implications for the management of neuropathic pain
M. Stringer, M.K. Makin, J. Miles, J.S. Morley (UK) 21

Excitatory effects of galanin in the spinal cord of intact, anaesthetized rats
A.J. Reeve, K. Walker, L. Urban, A. Fox (UK) 25

N- and P/Q-type Ca^{2+} channels are involved in neurotransmitter release but not in synaptic depression in the spinal cord of the neonatal rat
S. Bertrand, J.-R. Cazalets, W. Buño (France, Spain) 29

Expression of synaptotagmin I or II promotes neurite outgrowth in PC12 cells
M. Fukuda, K. Mikoshiba (Japan) 33

Changes in the vertical size of a three-dimensional object drawn in weightlessness by astronauts
C. Lathan, Z. Wang, G. Clément (USA, France) 37

Association between angiotensin-converting enzyme gene and late onset Alzheimer's disease in Han Chinese
J.D. Yang, G. Feng, J. Zhang, Z.X. Lin, T. Shen, G. Breen, D. St Clair, L. He (People's Republic of China, UK) 41

Spinal kappa-opioid system plays an important role in suppressing morphine withdrawal syndrome in the rat
C.-L. Cui, L.-Z. Wu, J.-S. Han (PR China) 45

Expression of leukemia inhibitory factor receptor mRNA in sensory dorsal root ganglion and spinal motor neurons of the neonatal rat
R.L. Scott, A.D. Gurusinghe, A.A. Rudvosky, V. Kozlakivsky, S.S. Murray, M. Satoh, S.S. Cheema (Australia, Japan) 49

Postischemic temperature as a modulator of the stress response in brain: dissociation of heat shock protein 72 induction from ischemic tolerance after bilateral carotid artery occlusion in the gerbil
H. Abe, T.S. Nowak Jr (USA) 54

Distinct sprouting responses of sympathetic and peptidergic sensory axons proximal to a sciatic nerve transection in guinea pigs and rats
P. Hu, E.M. McLachlan (Australia) 59

Liposomal mediated transfection of mature rat astrocytes in vitro: a comparison of ten reagents
D. McKalip, M. Grenier, M. Choy (USA) 64

Possible role of retrotrapezoid nucleus and parapyramidal area in the respiratory response to anoxia: an in vitro study in neonatal rat
L. Bodineau, F. Cayetanot, A. Frugière (France) 67

Volume 295, no. 3

Fos activation and upregulation of nicotinamide adenine dinucleotide phosphate diaphorase in the rat pituitary by acute capsaicin injection
C.O. Okere, T. Higuchi, H. Kaba (Japan) 73

Ethanol inhibition of adenosine 5′-triphosphate-activated current in freshly isolated adult rat hippocampal CA1 neurons

ELSEVIER

Neuroscience Letters 295 (2000) 122–123

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 295

Volume 295, nos. 1-2

Guidelines for the submission of manuscripts v

Cellular dopamine is increased following exposure to a factor derived from immortalized striatal neurons in humans
A. Heller, A. Freeney, S. Hessefort, M. Villereal, L. Won (USA) 1

A novel means of Y cell identification in the developing lateral geniculate nucleus of the cat
W. Breckinridge Carden, W. Guido, J. Ziburkus, A. Datskovskaia, D.W. Godwin, M.E. Bickford (USA) 5

Regional and age-related expression of gelatinases in the brains of young and old rats after treatment with kainic acid
J.W. Zhang, S. Deb, P.E. Gottschall (USA) 9

Selective deficits of vibrotactile sensitivity in dyslexic readers
C.J. Stoodley, J.B. Talcott, E.L. Carter, C. Witton, J.F. Stein (UK) 13

In vivo regulation of precursor cells in the subventricular zone of adult rat brain by thyroid hormone and retinoids
L. Giardino, C. Bettelli, L. Calzà (Italy) 17

d-Morphine, but not *l*-morphine, has low micromolar affinity for the non-competitive *N*-methyl-D-aspartate site in rat forebrain
Possible clinical implications for the management of neuropathic pain
M. Stringer, M.K. Makin, J. Miles, J.S. Morley (UK) 21

Excitatory effects of galanin in the spinal cord of intact, anaesthetized rats
A.J. Reeve, K. Walker, L. Urban, A. Fox (UK) 25

N- and P/Q-type Ca^{2+} channels are involved in neurotransmitter release but not in synaptic depression in the spinal cord of the neonatal rat
S. Bertrand, J.-R. Cazalets, W. Buño (France, Spain) 29

Expression of synaptotagmin I or II promotes neurite outgrowth in PC12 cells
M. Fukuda, K. Mikoshiba (Japan) 33

Changes in the vertical size of a three-dimensional object drawn in weightlessness by astronauts
C. Lathan, Z. Wang, G. Clément (USA, France) 37

Association between angiotensin-converting enzyme gene and late onset Alzheimer's disease in Han Chinese
J.D. Yang, G. Feng, J. Zhang, Z.X. Lin, T. Shen, G. Breen, D. St Clair, L. He (People's Republic of China, UK) 41

Spinal kappa-opioid system plays an important role in suppressing morphine withdrawal syndrome in the rat
C.-L. Cui, L.-Z. Wu, J.-S. Han (PR China) 45

Expression of leukemia inhibitory factor receptor mRNA in sensory dorsal root ganglion and spinal motor neurons of the neonatal rat
R.L. Scott, A.D. Gurusinghe, A.A. Rudvosky, V. Kozlakivsky, S.S. Murray, M. Satoh, S.S. Cheema (Australia, Japan) 49

Postischemic temperature as a modulator of the stress response in brain: dissociation of heat shock protein 72 induction from ischemic tolerance after bilateral carotid artery occlusion in the gerbil
H. Abe, T.S. Nowak Jr (USA) 54

Distinct sprouting responses of sympathetic and peptidergic sensory axons proximal to a sciatic nerve transection in guinea pigs and rats
P. Hu, E.M. McLachlan (Australia) 59

Liposomal mediated transfection of mature rat astrocytes in vitro: a comparison of ten reagents
D. McKalip, M. Grenier, M. Choy (USA) 64

Possible role of retrotrapezoid nucleus and parapyramidal area in the respiratory response to anoxia: an in vitro study in neonatal rat
L. Bodineau, F. Cayetanot, A. Frugière (France) 67

Volume 295, no. 3

Fos activation and upregulation of nicotinamide adenine dinucleotide phosphate diaphorase in the rat pituitary by acute capsaicin injection
C.O. Okere, T. Higuchi, H. Kaba (Japan) 73

Ethanol inhibition of adenosine 5′-triphosphate-activated current in freshly isolated adult rat hippocampal CA1 neurons

C. Li, K. Xiong, F.F. Weight (USA) 77
Localization of the pituitary adenylate cyclase-activating polypeptide receptor and its mRNA in the rat adrenal medulla
S. Shioda, Y. Shimoda, T. Hori, H. Mizushima, T. Ajiri, H. Funahashi, K. Ohtaki, T. Ryushi (Japan) 81
Nitric oxide increases excitability by depressing a calcium activated potassium current in snail neurons
A. Zsombok, S. Schrofner, A. Hermann, H.H. Kerschbaum (Austria, Hungary) 85
Human motor development and hand laterality: a kinematic analysis of drawing movements
R. Blank, V. Miller, H. von Voß (Germany) 89
The expression of ion channel mRNAs in skeletal muscles from patients with myotonic muscular dystrophy
T. Kimura, M.P. Takahashi, Y. Okuda, M. Kaido, H. Fujimura, T. Yanagihara, S. Sakoda (Japan, USA) 93
Improvement of the viability of cultured rat neurons by the non-essential amino acids L-serine and glycine that upregulates expression of the anti-apoptotic gene product Bcl-w
L. Yang, B. Zhang, K. Toku, N. Maeda, M. Sakanaka, J. Tanaka (Japan) 97
Dexamethasone-enhanced sensitivity of mouse hippocampal HT22 cells for oxidative stress is associated with the suppression of nuclear factor-κB
S. Braun, W. Liebetrau, B. Berning, C. Behl (Germany) 101
Changes in the excitability of the H-reflex in wrist flexors related to the prone or supine position of the forearm in man
F. Baldissera, G. Bellani, P. Cavallari, S. Lalli (Italy) 105
Projections and neurochemistry of interneurones in the myenteric plexus of the guinea-pig gastric corpus
D. Reiche, K. Michel, H. Pfannkuche, M. Schemann (Germany) 109
Implications of Ca^{2+}-activated Cl^- channels in the δ-opioid receptor-mediated antinociception in the mouse spinal cord
M. Yamazaki, H. Mizoguchi, M. Ohsawa, L.F. Tseng, T. Suzuki, M. Narita (Japan, USA) 113
Similar potency of the enantiomers of huperzine A in inhibition of [^{3}H]dizocilpine (MK-801) binding in rat cerebral cortex
Y.-H. Zhang, X.-Q. Chen, H.-H. Yang, G.-Y. Jin, D.-L. Bai, G.-Y. Hu (PR China) 116

Announcement 119
Author Index to Volume 295 120
Contents to Volume 295 122